planika

OUTDOOR FIREPLACES COLLECTION






GALAXY BURNER

AUTOMATIC OUTDOOR GAS BURNER

GALAXY 1150 BURNER




FEATURES

- LPG/NG fueled
- Remote control
- Smart home compatible
- Thermocouple
- Smooth flame height regulation
- Easy to install



AUTOMAT

GALAXY 2000 BURNER



FEATURES

- LPG/NG fueled
- Remote control
- Smart home compatible
- Thermocouple
- Smooth flame height regulation
- Easy to install



AUTOMATIC CONTROL

OPTIONAL ACCESSORIES







GALAXY 1150 BURNER

(NG) max. 10.1kW
(LPG) max. 13.4kW

(LPG) max. 0.96 m³/h
(LPG) max. 0.95 kg/h


(NG) 20 mbar
(LPG) 37 mbar

(LPG) 37 mbar

GALAXY

AUTOMATIC OUTDOOR GAS FIREPLACE

GALAXY LAURENT / GALAXY DAZE



FEATURES

- LPG/NG fueled
- Remote control
- Smart home compatible
- Thermocouple
- Smooth flame height regulation
- Finish: Dekton Daze or Dekton Laurent



CONTRO

GALAXY CORTEN / GALAXY BLACK



FEATURES

- LPG/NG fueled
- Remote control
- Smart home compatible
- Thermocouple
- Smooth flame height regulation
- Finish: Corten Stell or Black Steel




AUTOMATIC

OPTIONAL ACCESSORIES




	GALAXY DAZE / GALAXY LAURENT / GALAXY CORTEN / GALAXY BLACK
	(NG) max. 10.1kW (LPG) max. 13.4kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h
(·)	(NG) 20 mbar (LPG) 37 mbar



GALIO GAS OUTDOOR FIRES

GALIO INSERT MANUAL



FEATURES

- LPG/NG fueled
- Manual control
- Thermocouple
- Smooth flame height regulation
- Easy to install



CONT

GALIO CORTEN/GALIO BLACK MANUAL




FEATURES

- LPG/NG fueled
- Manual control
- Thermocouple
- Smooth flame height regulation
- Freestanding



MANUAL

OPTIONAL ACCESSORIES



-	GALIO BLACK AUTOMATIC / GALIO CORTEN AUTOMATIC	GALIO BLACK MANUAL / GALIO CORTEN MANUAL
•••	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(NG) max. 13.6 kW (LPG) max. 11.8 kW
GAS	(NG) max. 1.0 m³/h (LPG) max. 0.93 kg/h	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar
i	31.0 kg	31.0 kg





GALIO FIRE PIT

GAS OUTDOOR FIRES

GALIO FIRE PIT INSERT AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install

GALIO FIRE PIT CORTEN/BLACK AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	GALIO FIRE PIT INSERT AUTOMATIC	GALIO FIRE PIT CORTEN AUTOMATIC GALIO FIRE PIT BLACK AUTOMATIC
+4+	(NG) max. 4.7 kW (LPG) max. 5.1 kW	
GAS	(NG) max. 0.5 m³/h (LPG) max. 0.4 kg/h	
	(NG) 20 mbar (LPG) 37 mbar	
i	15.0 kg	65.0 kg

GALIO STAR GAS OUTDOOR FIRES

GALIO STAR INSERT AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install

GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- LPG/NG fueled
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding

OPTIONAL ACCESSORIES



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
+4+	(NG) max. 16.4 kW (LPG) max. 17.3 kW	
GAS	(NG) max. 1.5 m³/h 53.0 ft³/h (LPG) max. 1.4 kg/h 3.1 lbs/h	
	(NG) 20 mbar 8.0°wc (LPG) 37 mbar 14.9°wc	
i	17.0 kg / 37.5 lbs	37.0 kg / 81.6 lbs





GALIO H INSERT AUTOMATIC

GAS OUTDOOR FIRES



FEATURES

- LPG/NG fueled
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install

OPTIONAL ACCESSORIES





LIGHTHOUSE

GAS OUTDOOR FIRES



FEATURES


- LPG fueled
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding


OPTIONAL ACCESSORIES



	GALIO H INSERT AUTOMATIC	LIGHTHOUSE
+4+	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
GAS	(NG) max. $1.0~{\rm m}^3/{\rm h}$ (LPG) max. $0.9~{\rm kg/h}$	(LPG) max. 0.50 - 0.65 kg/h
0	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbor
i	23.6 kg	27.5 kg









All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2022, Planika Sp. z o.o. All rights reserved.

www.planika.com



planika

PLANIKA planika@planika.com www.planika.com facebook.com/planikafire
instagram.com/planikafires
youtube.com/planikafires

pinterest.com/planika
in linkedin.com/in/planika

